

Mozilla Corp Accessibility Conformance Report

WCAG Edition

(Based on VPAT® Version 2.5Rev)

Name of Product/Version: Firefox Enterprise (Desktop) Console and Client

Report Date: August 4, 2026

Product Description: Firefox delivers secure, resilient, and privacy-focused browsing at scale. Firefox Enterprise (Client) is a standalone browser instance that extends the general Firefox browser (both the back- and front-end), adding customizations requested by enterprise users.

Firefox Enterprise Console (Console) is a web application available for users of Firefox Enterprise.

Contact Information: <https://www.mozilla.org/en-US/contact/>

Evaluation Methods Used: WebAIM, a non-profit digital accessibility group based at Utah State University, evaluated a representative sample of pages and workflows using manual and automated techniques. NVDA, keyboard-only navigation, and inspection of markup using Developer Tools were all employed during testing.

Initial evaluation occurred in April 2026, with validation occurring in June 2026 and July 2026. The scope included the following page views:

- Console
 - Sign In
 - Dashboard
 - Policy Management
 - Organizational Units
 - Organizational Unit: A11y Testing
 - Organizational Unit: A11y Testing: Policy Management
 - Users
 - Event Reports
 - SSO Settings
 - Documentation

- Client
 - FELT Sign-In
 - Modal: About Firefox Enterprise
 - Denied Access
 - Company Badge and Menu
 - Modal: Sign-Out Confirmation

Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.0	Level A Yes Level AA Yes Level AAA No
Web Content Accessibility Guidelines 2.1	Level A Yes Level AA Yes Level AAA No
Web Content Accessibility Guidelines 2.2	Level A Yes Level AA Yes Level AAA No

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports:** Some functionality of the product does not meet the criterion.
- **Does Not Support:** The majority of product functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.
- **Not Evaluated:** The product has not been evaluated against the criterion. This can only be used in WCAG Level AAA criteria.

WCAG 2.x Report

Note: When reporting on conformance with the WCAG 2.x Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the [WCAG 2.0 Conformance Requirements](#).

Table 1: Success Criteria, Level A

Criteria	Conformance Level	Remarks and Explanations
<u>1.1.1 Non-text Content</u> (Level A)	Supports	Equivalent text alternatives are provided for non-text content.
<u>1.2.1 Audio-only and Video-only (Prerecorded)</u> (Level A)	Not Applicable	No audio-only or video-only content was observed in the sample.
<u>1.2.2 Captions (Prerecorded)</u> (Level A)	Not Applicable	No video was observed in the sample.
<u>1.2.3 Audio Description or Media Alternative (Prerecorded)</u> (Level A)	Not Applicable	No video was observed in the sample.
<u>1.3.1 Info and Relationships</u> (Level A)	Supports	Information, structure, and relationships conveyed through presentation can be programmatically determined or are available in text.
<u>1.3.2 Meaningful Sequence</u> (Level A)	Supports	When the sequence in which content is presented affects its meaning, a correct reading sequence can be programmatically determined.
<u>1.3.3 Sensory Characteristics</u> (Level A)	Supports	Instructions provided for understanding and operating content do not rely solely on sensory characteristics of components such as shape, color, size, visual location, orientation, or sound.
<u>1.4.1 Use of Color</u> (Level A)	Supports	Color is not used as the only visual means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.
<u>1.4.2 Audio Control</u> (Level A)	Not Applicable	No automatically playing audio was observed in the sample.
<u>2.1.1 Keyboard</u> (Level A)	Partially Supports	Almost all functionality is keyboard operable. One dialog causes keyboard focus to be lost when it is closed.
<u>2.1.2 No Keyboard Trap</u> (Level A)	Supports	Keyboard focus is never locked or trapped at one particular element.
<u>2.1.4 Character Key Shortcuts</u> (Level A 2.1 and 2.2)	Not Applicable	No character key shortcuts were observed in the sample.
<u>2.2.1 Timing Adjustable</u> (Level A)	Supports	If a page or application has a time limit, the user can disable, adjust, or extend the limit. The user is notified

Criteria	Conformance Level	Remarks and Explanations
		through a modal dialog when the time limit approaches.
2.2.2 Pause, Stop, Hide (Level A)	Supports	Automatically moving, blinking, or scrolling content that lasts longer than 5 seconds can be paused, stopped, or hidden by the user.
2.3.1 Three Flashes or Below Threshold (Level A)	Supports	No page content flashes more than 3 times per second unless that flashing content is sufficiently small and the flashes are of low contrast and do not contain too much red.
2.4.1 Bypass Blocks (Level A)	Supports	A mechanism is available to bypass blocks of content that are repeated on multiple pages.
2.4.2 Page Titled (Level A)	Supports	Web pages have titles that describe topic or purpose.
2.4.3 Focus Order (Level A)	Partially Supports	In most instances, the focus order is logical and preserves meaning. One dialog causes keyboard focus to be lost when it is closed. If a Web page can be navigated sequentially and the sequence affects meaning or operation, focusable components should receive focus in an order that preserves meaning and operability.
2.4.4 Link Purpose (In Context) (Level A)	Supports	The purpose of each link can be determined from the link text or its context.
2.5.1 Pointer Gestures (Level A 2.1 and 2.2)	Supports	If multipoint or path-based gestures (such as pinching, swiping, or dragging across the screen) are not essential to the functionality, then the functionality can also be performed with a single point activation (such as activating a button).
2.5.2 Pointer Cancellation (Level A 2.1 and 2.2)	Supports	To help avoid inadvertent activation of controls, avoid non-essential down-event (e.g., onmousedown) activation when clicking, tapping, or long pressing the screen. Use onclick, onmouseup, or similar instead. If onmouseup (or similar) is used, you must provide a mechanism to abort or undo the action performed.

Criteria	Conformance Level	Remarks and Explanations
2.5.3 Label in Name (Level A 2.1 and 2.2)	Supports	If an interface component (link, button, etc.) presents text (or images of text), the accessible name (label, alternative text, aria-label, etc.) for that component must include the visible text.
2.5.4 Motion Actuation (Level A 2.1 and 2.2)	Supports	Functionality that is triggered by moving the device (such as shaking or panning a mobile device) or by user movement (such as waving to a camera) can be disabled and equivalent functionality is provided via standard controls like buttons.
3.1.1 Language of Page (Level A)	Supports	The language of the page is identified using the lang attribute.
3.2.1 On Focus (Level A)	Supports	When a page element receives focus, it does not trigger a substantial change to the page.
3.2.2 On Input (Level A)	Supports	When a user inputs information or interacts with a control, it does not trigger a substantial change to the page.
3.2.6 Consistent Help (Level A 2.2 only)	Supports	Contact and self-help details or functionality are presented consistently when present on multiple web pages.
3.3.1 Error Identification (Level A)	Supports	Required inputs or inputs that require a specific format, value, or length provide this information within the element's label. Validation errors are efficient, intuitive, and accessible.
3.3.2 Labels or Instructions (Level A)	Supports	Sufficient labels, cues, and instructions for required interactive elements are provided via instructions, examples, properly positioned input labels, or fieldsets/legends.
3.3.7 Redundant Entry (Level A 2.2 only)	Supports	Information that a user must re-enter to complete a single-session process must be auto-populated or available for the user to select, unless re-entering the information is essential to the functionality, the information poses security issues, or the previously-entered information is no longer valid.

Criteria	Conformance Level	Remarks and Explanations
4.1.1 Parsing (Level A)	Not Applicable	Obsolete and removed as of WCAG 2.2.
4.1.2 Name, Role, Value (Level A)	Supports	Markup is used in a way that facilitates accessibility. This includes following the HTML specifications and using forms, input labels, frame titles, etc. appropriately. ARIA is used appropriately to enhance accessibility when HTML is not sufficient.

Table 2: Success Criteria, Level AA

Criteria	Conformance Level	Remarks and Explanations
1.2.4 Captions (Live) (Level AA)	Supports	No video was observed in the sample.
1.2.5 Audio Description (Prerecorded) (Level AA)	Supports	No video was observed in the sample.
1.3.4 Orientation (Level AA 2.1 and 2.2)	Supports	Content does not restrict its view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.
1.3.5 Identify Input Purpose (Level AA 2.1 and 2.2)	Supports	The purpose of each input field collecting information about the user can be programmatically determined. Appropriate autocomplete attributes are present.
1.4.3 Contrast (Minimum) (Level AA)	Supports	Normal-size text has a contrast ratio of at least 4.5:1. Large text has a contrast ratio of at least 3:1.
1.4.4 Resize text (Level AA)	Supports	Except for captions and images of text, text can be resized without assistive technology up to 200 percent without loss of content or functionality.
1.4.5 Images of Text (Level AA)	Supports	If the technologies being used can achieve the visual presentation, text is used to convey information rather than images of text.
1.4.10 Reflow (Level AA 2.1 and 2.2)	Supports	No loss of content or functionality occurs, and horizontal scrolling is avoided when content is presented at a width of 320 pixels. Some data tables require horizontal scrolling, as allowed under this success criteria.

Criteria	Conformance Level	Remarks and Explanations
1.4.11 Non-text Contrast (Level AA 2.1 and 2.2)	Supports	A contrast ratio of at least 3:1 is present for differentiating graphical objects (such as icons and components of charts or graphs) and author-customized interface components (such as buttons, form controls, and focus indicators/outlines).
1.4.12 Text Spacing (Level AA 2.1 and 2.2)	Supports	No loss of content or functionality occurs when the user adapts paragraph spacing to 2 times the font size, text line height/spacing to 1.5 times the font size, word spacing to .16 times the font size, and letter spacing to .12 times the font size.
1.4.13 Content on Hover or Focus (Level AA 2.1 and 2.2)	Supports	No content in the sample is presented on hover or keyboard focus.
2.4.5 Multiple Ways (Level AA)	Supports	Multiple ways are available to navigate the pages within the sample.
2.4.6 Headings and Labels (Level AA)	Supports	Page headings and labels for form and interactive controls are informative.
2.4.7 Focus Visible (Level AA)	Partially Supports	Visual focus indicators are present. Several elements have inconsistent mouse hover and keyboard focus style changes.
2.4.11 Focus Not Obscured (Minimum) (Level AA 2.2 only)	Supports	When elements have keyboard focus, they are not entirely covered or hidden by page content.
2.5.7 Dragging Movements (Level AA 2.2 only)	Supports	Functionality that uses pointer dragging can also be achieved using a single pointer without dragging (unless dragging is essential).
2.5.8 Target Size (Minimum) (Level AA 2.2 only)	Supports	Pointer input target sizes are at least 24 by 24 pixels unless a 24-pixel diameter circle centered on the target element does not intersect with any other target or a 24-pixel circle centered on an adjacent target, the functionality can be achieved in some other conformant manner, the target is in a sentence or list, or the target size can't be modified or is essential to the functionality.

Criteria	Conformance Level	Remarks and Explanations
3.1.2 Language of Parts (Level AA)	Supports	The language of page content that is in a different language is identified using the lang attribute.
3.2.3 Consistent Navigation (Level AA)	Supports	Navigation links that are repeated on web pages do not change order when navigating through the site.
3.2.4 Consistent Identification (Level AA)	Supports	Repeated elements and structures behave consistently with internet standards and each other.
3.3.3 Error Suggestion (Level AA)	Supports	If an error is detected, suggestions are provided for fixing the input in a timely and accessible manner.
3.3.4 Error Prevention (Legal, Financial, Data) (Level AA)	Supports	If the user can change or delete legal, financial, or test data, the changes/deletions can be reversed, verified, or confirmed.
3.3.8 Accessible Authentication (Minimum) (Level AA 2.2 only)	Not Applicable	No cognitive function test was observed in the sample.
4.1.3 Status Messages (Level AA 2.1 and 2.2)	Supports	If an important status message is presented and focus is not set to that message, the message must be announced to screen reader users, typically via an ARIA alert or live region.

Table 3: Success Criteria, Level AAA

Criteria	Conformance Level	Remarks and Explanations
1.2.6 Sign Language (Prerecorded) (Level AAA)	Not evaluated	
1.2.7 Extended Audio Description (Prerecorded) (Level AAA)	Not evaluated	
1.2.8 Media Alternative (Prerecorded) (Level AAA)	Not evaluated	
1.2.9 Audio-only (Live) (Level AAA)	Not evaluated	
1.3.6 Identify Purpose (Level AAA 2.1 and 2.2)	Not evaluated	
1.4.6 Contrast (Enhanced) (Level AAA)	Not evaluated	
1.4.7 Low or No Background Audio (Level AAA)	Not evaluated	
1.4.8 Visual Presentation (Level AAA)	Not evaluated	
1.4.9 Images of Text (No Exception) (Level AAA)	Not evaluated	
2.1.3 Keyboard (No Exception) (Level AAA)	Not evaluated	

Criteria	Conformance Level	Remarks and Explanations
2.2.3 No Timing (Level AAA)	Not evaluated	
2.2.4 Interruptions (Level AAA)	Not evaluated	
2.2.5 Re-authenticating (Level AAA)	Not evaluated	
2.2.6 Timeouts (Level AAA 2.1 and 2.2)	Not evaluated	
2.3.2 Three Flashes (Level AAA)	Not evaluated	
2.3.3 Animation from Interactions (Level AAA 2.1 and 2.2)	Not evaluated	
2.4.8 Location (Level AAA)	Not evaluated	
2.4.9 Link Purpose (Link Only) (Level AAA)	Not evaluated	
2.4.10 Section Headings (Level AAA)	Not evaluated	
2.4.12 Focus Not Obscured (Enhanced) (Level AAA 2.2 only)	Not evaluated	
2.4.13 Focus Appearance (Level AAA 2.2 only)	Not evaluated	
2.5.5 Target Size (Level AAA 2.1 and 2.2)	Not evaluated	
2.5.6 Concurrent Input Mechanisms (Level AAA 2.1 and 2.2)	Not evaluated	
3.1.3 Unusual Words (Level AAA)	Not evaluated	
3.1.4 Abbreviations (Level AAA)	Not evaluated	
3.1.5 Reading Level (Level AAA)	Not evaluated	
3.1.6 Pronunciation (Level AAA)	Not evaluated	
3.2.5 Change on Request (Level AAA)	Not evaluated	
3.3.5 Help (Level AAA)	Not evaluated	
3.3.6 Error Prevention (All) (Level AAA)	Not evaluated	
3.3.9 Accessible Authentication (Enhanced) (Level AAA 2.2 only)	Not evaluated	

Legal Disclaimer

This document is for informational purposes only and the contents herein are subject to change without notice. Mozilla Corp does not warrant that this document is error free and makes no warranties, express or implied.